

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4663	(73/866.5,431,702,703,24.01,29.01,335.03,705).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2008/09/02 11:09
L2	233	1 and (light optic\$3) near sensor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/09/02 11:10
L3	2	2 and (transparent near electrode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/09/02 11:11
L4	18477	(photodiode phototransistor (photo near "integrated circuit") "photo thyristor" ((photoconductive photoconductor) near sensor) (color near sensor) (solid-state near "image sensor"))).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/09/02 11:32
L5	203	4 and (transparent near electrode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/09/02 11:32
L6	9831	((73/866.5,431,702,703,24.01,29.01,335.03,705) or (257/431,432,433,434)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2008/09/02 11:36
L8	17534	((73/866.5,431,702,703,24.01,29.01,335.03,705) or (257/431,432,433,434) or (356/28,35.5,43,44,338,400,425,625-635)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2008/09/02 11:41
L9	373	8 and (transparent near electrode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/09/02 11:41
L10	18	8 and (transparent near electrode) with coating	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/09/02 11:41
L11	27	8 and (transparent near electrode) with coated	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/09/02 11:41
S2	183	(rogers-d\$).xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/02/10 13:27
S3	12	("3821900" "4453835" "4708666" "4765193" "4788431" "5489888" "5500504" "5511415" "5792951" "5929333" "5969270" "6250130").PN. OR ("7062975").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/10 13:34
S4	946	(optical near sensor).ti.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/10 13:34

S5	4032	((humidity dew moisture) adj sensor).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/02/10 14:57
S6	116	S5 and probe	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/02/10 15:19
S7	2	("20060162474").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/02/10 16:31
S8	11804	molecule with between with electrodes	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/02/10 15:24
S9	296	S8 and (sensor).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/02/10 15:58
S10	37	(polymer near film) with (pressure near sensor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/02/10 16:05
S11	5	(polymer near diaphragm) with (pressure near sensor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/02/10 16:06
S12	4	(polymer near diaphragm) and (pressure near sensor).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/02/10 16:06
S13	11	(polymer near membrane) and (pressure near sensor).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/02/10 16:30
S14	21	(polyacetylene polyphenylene vinylene polypyrrole) with pressure with sensor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/02/10 16:42
S15	30041	(light adj sensor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/02/10 16:42
S16	2379	(light adj sensor).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/02/10 16:42
S17	15	(light adj sensor).ti. and (light with sensitive with film)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/02/10 18:02
S18	32	(photodiode with (light adj sensor)).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/02/10 17:01

S19	183	(rogers-d\$).xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/02/10 17:02
S20	19	(rogers-d\$).xa. and humidity	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/02/10 17:05
S21	193	(acoustic adj wave) with (temperature near sensor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/02/10 17:14
S22	51	(acoustic adj wave) with (humidity near sensor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/02/10 17:14
S23	4391	(73/866.5,431,702,703,24.01,29.01,335.03,705).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/02/10 18:02
S24	2	("6476312").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/02/10 18:01
S25	916	S23 and ((pressure humidity dew temperature light radiation) near sensor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/02/10 18:02
S26	20	S25 and ((semiconductive conductive) near (film layer diaphragm membrane))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/02/10 18:03
S27	5041	(polymer near electrode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/03/03 10:52
S28	135	(polymer near electrode) with insulat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/03/03 10:53
S29	2	("4587840").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2008/03/04 10:50
S30	36	engine and (exhaust with (light near sensor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/03/04 11:52
S31	202	engine and (pressure with (light near sensor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/03/04 11:53
S32	4575	(73/866.5,431,702,703,24.01,29.01,335.03,705).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2008/03/04 12:04

S33	5	S32 and (polymer near (conductor electrode))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/03/04 12:05
S34	2	("4587840").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2008/08/14 08:52
S35	4	((("4587840") or ("6094988")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2008/08/14 08:53

9/ 2/ 08 12:31:37 PM

C:\Documents and Settings\drogers\My Documents\EAST\Workspaces\10\5\10538937.wsp